Name of Company

Ottoman Grup İmplant (OTİMED) End. Sağ.İnş.San.Tic.Ltd.Şti

Dilek YURTSEVEN

Whatsapp +90 5337362955

Mail: <u>dilekyurtseven@otimed.com</u> , <u>dilekyurtseven@hotmail.com</u> , <u>www.otimed.com</u>

	Product	Quality	Certificate	Delivery Date	Supplying
1	Masks	3 layers, intersonic cut.	CE	3 to 15 days	5.000.000
2	Masks FFP2	It provides superior protection against water and oil-based, harmless dust, smoke, moisture, microbiological environments and some viruses.	CE	3 to 15 days	2.000.000
3	Masks FFP2	It provides superior protection against water and oil-based, harmless dust, smoke, moisture, microbiological environments and some viruses.	CE	3 to 15 days	1.000.000

4	Coverralls	It is air permeable, water repellent, flame retardant, particle proof, bacteria-free, light and soft. Nonwoven Spunbond Laminated	CE	3 to 15 days	5.000.000
5	Surgery Apron	Water, blood and all kinds of chemicals will not pass. The cuffs are elastic and 120 cm long. The apron's chest and arm section is made of microflament 100% polyester fabric.	CE	3 to 15 days	500.000
6	Stretcher Cover	Water, blood and all kinds of chemicals do not pass. The microflament is made of 100% polyester fabric.	CE	3 to 15 days	1.000.000
7	Alamine Galosh (Double)	Nonwoven Spunbond Laminated	CE	3 to 15 days	2.000.000

8	Laminated Bone	Nonwoven Spunbond Laminated	CE	3 to 15 days	2.000.000
9	Jel Disinfectant	Ethyl Alcohol 70-96% 50 ml 100 ml 1000 ml	CE	3 to 15 days	500.000
10	Hand Disinfectant	Ethyl Alcohol 70-96% 50 ml 100 ml 1000 ml	CE	3 to 15 days	500.000
11	Glycerine Hand Disinfectant	Ethyl Alcohol 80% Glycerine	CE	3 to 15 days	2.000.000
12	Cologne	Ethyl Alcohol 80%	CE	3 to 15 days	2.000.000

13	Protective Eyewear 1	Frame: Nylon, non- slip nose pad Handle: Adjustable back and forth Lens: polycarbonate (hard coated) - Thickness: 2.2 mm Color: Transparent Protection factor: 45 mt / s uv radiation 99% 380 nm	CE	3 to 15 days	1.000.000
14	Protective Eyewear 2	Adjustable headband, Air release valves, Extra protection with wide lens Skin sensitive soft body, Full closed design, it can be used for grinding in dense dust and acid smoke	CE	3 to 15 days	1.000.000
15	Protective Eyewear 3	Adjustable headband, Air release valves, Extra protection with wide lens Skin sensitive soft body, Full closed design, it can be used for grinding in dense dust and acid smoke	CE	3 to 15 days	1.000.000
16	Visors 1	Adjustable full face protector. For protection against liquid and rashes on the face area Rubber padded for extra comfort and safety. Coverage from the top of the eyebrow to the bottom of the chin.	CE	3 to 15 days	1.000.000
17	Visors 2	Adjustable full face protector. For protection against liquid and rashes on the face area Rubber padded for extra comfort and safety. It rotates up to 120 degrees.	CE	3 to 15 days	1.000.000

18	Visors 3	Adjustable full face protector. For protection	CE	3 to 15 days	1.000.000
	Pace Shind	against liquid and rashes on the face area Rubber padded for extra comfort and safety. Coverage from the top of the eyebrow to the bottom of the chin.			